Analysis of Recharge-Induced Geochemical Change in a Contaminated Aquifer, by J.T. McGuire, D.T. Long, D.W. Hyndman, 518–530.

Temporal Changes in the Vertical Distribution of Flow and Chloride in Deep Wells, by J.A. Izbicki, A.H. Christensen, M.W. Newhouse, G.A. Smith, R.T. Hanson, 531–544.

Heat as a Tracer to Estimate Dissolved Organic Carbon Flux from a Restored Wetland, by K.R. Burow, J. Constantz, R. Fujii, 545–556.

Vertical Cross Contamination of Trichloroethylene in a Borehole in Fractured Sandstone, by S.N. Sterling, B.L. Parker, J.A. Cherry, J.H. Williams, J.W. Lane Jr., F.P. Haeni, 557–573.

High-Permeability Layers for Remediation of Ground Water; Go Wide, Not Deep, by W.D. Robertson, N. Yeung, P.W. vanDriel, P.S. Lombardo, 574–581.

Impact of Mineral Fouling on Hydraulic Behavior of Permeable Reactive Barriers, by L. Li, C.H. Benson, E.M. Lawson, 582–596.

Multimodel Ranking and Inference in Ground Water Modeling, by E. Poeter, D. Anderson, 597–605.

Volume 43, No. 5

Foreword: Transboundary Ground Water, by M.E. Campana, 646–650.

The Water Crisis in the Gaza Strip: Prospects for Resolution, by E. Weinthal, A. Vengosh, A. Marei, A. Gutierrez, W. Kloppmann, 653–660.

Transboundary Aquifers: A Global Program to Assess, Evaluate, and Develop Policy, by S. Puri, A. Aureli, 661–668.

Economic Commission for Europe Inventory of Transboundary Ground Water in Europe, by G.E. Arnold, Z. Buzás, 669–678.

Transboundary Aquifers: Conceptual Models for Development of International Law, by Y. Eckstein, G.E. Eckstein, 679–690

Ground Water Rights, Spatial Variation, and Transboundary Conflicts, by O.P. Matthews, 691–699.

A Framework for Resolving the Transboundary Water Allocation Conflict Conundrum, by M. Rowland, 700–705.

Transboundary Impacts on Regional Ground Water Modeling in Texas, by K. Rainwater, J. Stovall, S. Frailey, L. Urban, 706–716.

Transboundary Flow Modeling: The Zohor Depression of Austria and the Slovak Republic, by M. Fendek, M. Fendekova, 717–721.

System Dynamics Modeling of Transboundary Systems: The Bear River Basin Model, by G. Sehlke, J. Jacobson, 722–730.

Economics of Transboundary Aquifer Management, by J.M. Chermak, R.H. Patrick, D.S. Brookshire, 731–736.

Securing the Future of Ground Water Resources in the Great Lakes Basin, by G. Galloway, R. Pentland, 737–743.

Isotope Methods for Management of Shared Aquifers in Northern Africa, by B. Wallin, C. Gaye, L. Gourcy, P. Aggarwal, 744–749.

Revisiting a Classification Scheme for U.S.-Mexico Alluvial Basin-Fill Aquifers, by B.J. Hibbs, B.K. Darling, 750–763.

International Borders, Ground Water Flow, and Hydroschizophrenia, by T. Jarvis, M. Giordano, S. Puri, K. Matsumoto, A. Wolf, 764–770.

Volume 43, No. 6

Erratum, 772.

OnlineEarly Announcement, 772.

NGWA Honors Excellence in Science Fair Students' Ground Water Projects, 774–775.

Assessing Background Ground Water Chemistry beneath a New Unsewered Subdivision, by J.D. Wilcox, K.R. Bradbury, C.L. Thomas, J.M. Bahr, 787–795.

Glacial Sediment Causing Regional-Scale Elevated Arsenic in Drinking Water, by M.L. Erickson, R.J. Barnes, 796–805.

Geochemistry of Extremely Alkaline (pH > 12) Ground Water in Slag-Fill Aquifers, by G.S. Roadcap, W.R. Kelly, C.M. Bethke, 806–816.

A Simple Method for Calculating Growth Rates of Petroleum Hydrocarbon Plumes, by B.A. Bekins, I.M. Cozzarelli, G.P. Curtis, 817–826.

Predicting Conductance Due to Upconing Using Neural Networks, by E.A. Coppola Jr., C.F. McLane, M.M. Poulton, F. Szidarovszky, R.D. Magelky, 827–836.

The Effects of Climatic Variability on Estimates of Recharge from Temperature Profiles, by G. Ferguson, A.D. Woodbury, 837–842.

Uncertainty Estimation of Pathlines in Ground Water Models, by F. Stauffer, 843–849.

Monitoring Strategies at Phreatic Wellfields: A 3D Travel Time Approach, by H.P. Broers, F.C. van Geer, 850–862.

Site Characterization in Densely Fractured Dolomite: Comparison of Methods, by M. Muldoon, K.R. Bradbury, 863–876.

Simulating Conservative Tracers in Fractured Till under Realistic Timescales, by M.F. Helmke, W.W. Simpkins, R. Horton, 877–889.

Delineating Alluvial Aquifer Heterogeneity Using Resistivity and GPR Data, by J.C. Bowling, A.B. Rodriguez, D.L. Harry, C. Zheng, 890–903.

Optimizing Remediation of an Unconfined Aquifer Using a Hybrid Algorithm, by C.-T. Hsiao, L.-C. Chang, 904–915.

Identifying the Potential Loss of Monitoring Wells Using an Uncertainty Analysis, by V.L. Freedman, S.R. Waichler, C.R. Cole, V.R. Vermeul, M.P. Bergeron, 916–925.

Multilayer Analytic Element Modeling of Radial Collector Wells, by M. Bakker, V.A. Kelson, K.H. Luther, 926–934.

Book Reviews

Phytoremediation: Transformation and control of Contaminants, by D.A. Vroblesky, 6

Fundamentals of Ground Water, by J. M. Davis, 164.

Wiley's Remediation Technologies Handbook: Major Contaminant Chemicals and Chemical Groups, by J.A. Jacobs, 295.

200 Years of British Hydrogeology, by C.J. Booth, 464.

Watersheds: Processes, Assessment, and Management, by P.E. Black, 778.

Computer Notes

Visual Basic Programs for Spreadsheet Analysis, by B. Hunt, 138–141.

Hydrogeologic Unit Flow Characterization Using Transition Probability Geostatistics, by N.L. Jones, J.R. Walker, S.F. Carle, 285–289.

Estimating Aquifer Transmissivity from Specific Capacity Using MATLAB, by S.G. McLin, 611–614.

Computing "Anomalous" Contaminant Transport in Porous Media: The CTRW MATLAB Toolbox, by A. Cortis, B. Berkowitz, 947–950.

Editorials

Basic Tenets for Water Management, by T.N. Narasimhan, 1.

The Silent Revolution of Intensive Ground Water Use: Pros and Cons, by M.R. Llamas, P. Martínez-Santos, 161.

Intensive Use of Ground Water and Sustainability, by E. Custodio, 291.
Nanobots: A New Paradigm for Hydrogeologic Characterization?, by W.W. Wood, 463.
A Water Cycle Initiative, by G.M. Hornberger, 771.

Historical Notes

The Wisconsin Roots of Ground Water Hydrology, by M.P. Anderson, 142–145.
The Compleat Darcy: New Lessons Learned from the First English Translation of Les Fontaines Publiques de la Ville de Dijon, by J.M. Sharp, C.T. Simmons, 457–460.
The Canadian School of Hydrogeology: History and Legacy, by J. Tóth, 640–644.
Born to Trouble: Bernard Palissy and the Hydrologic Cycle, by D. Deming, 969–972.

Issue Papers

Is Current Hydrogeologic Research Addressing Long-Term Predictions?, by C.-F. Tsang, 296–300.
Are Water Tables a Subdued Replica of the Topography?, by H.M. Haitjema, S. Mitchell-Bruker, 781–786.

Review Papers

Longitudinal Dispersivity Data and Implications for Scaling Behavior, by D. Schulze-Makuch, 443–456.
MTBE and Gasoline Hydrocarbons in Ground Water of the United States, by M.J. Moran, J.S. Zogorski, P.J. Squillace, 615–627.
Model Parameters for Simulating Fate and Transport of On-Site Wastewater Nutrients, by J.E. McCray, S.L. Kirkland, R.L. Siegrist, G.D. Thyne, 628–639.
Heat as a Ground Water Tracer, by M.P. Anderson, 951–968

Software Spotlight

Ground Water Vistas: A Graphical User Interface for the MODFLOW Family of Ground Water Flow and Transport Models, by C.D. Langevin, D.M. Bean, 165–168.
Environmental Insite: A Software Package for Ground Water Data Visualization, by M. Tonkin, M. Becker, 466–470.

Technical Notes

A Passive-Discrete Water Sampler for Monitoring Seepage, by R. Salve, 133–137.
Improved Water Table Dynamics In MODFLOW, by T. Clemo, 270–273.
An Improved Approach for Assigning Pumping Rates to Heterogeneous Aquifer Models, by A. Pinales, A. Chavez, G. Llerar, L. Manzanares, A. Keer, 274–279.
Approximate Solution for Solute Transport during Spherical-Flow Push-Pull Tests, by M.H. Schroth, J.D. Istok, 280–284.
Comparison of Velocity-Log Data Collected Using Impeller and Electromagnetic Flowmeters, by M.W. Newhouse, J.A. Izbicki, G.A. Smith, 434–438.
Approximate Discharge for Constant Head Test With Recharging Boundary, by P. Renard, 439–442.
Unconfined Linear Flow to a Horizontal Well, by M.W. Kawecki, H.N. Al-Subaikhy, 606–610.
A Distance-Drawdown Aquifer Test Method for Aquifers with Areal Anisotropy, by R.D. Mutch Jr., 935–938.
An Improved Straight-Line Fitting Method for Analyzing Pumping Test Recovery Data, by L. Zheng, J.-Q. Guo, Y. Lei, 939–942.
Confined Flow into a Tunnel during Progressive Drilling: An Analytical Solution, by P. Perrochet, 943–946.

Technical Commentary

The Appropriate Use of the Rorabaugh Model to Estimate Ground Water Recharge, by A.T. Rutledge, 292–293.

Author Index of Volume 43, 2005

Anderson, M.P., *The Wisconsin Roots of Ground Water Hydrology*, v. 43, no. 1: 142–145.

Anderson, M.P., *Transitions*, v. 43, no. 2: 162.

Anderson, M.P., *Heat as a Ground Water Tracer*, v. 43, no. 6: 951–968.

Arnold, G.E., Z. Buzás, *Economic Commission for Europe Inventory of Transboundary Ground Water in Europe*, v. 43, no. 5: 669–678.

Asefa, T., M. Kemblowski, G. Urroz, M. McKee, *Support Vector Machines (SVMs) for Monitoring Network Design*, v. 43, no. 3: 413–422.

Bakker, M., V.A. Kelson, K.H. Luther, *Multilayer Analytic Element Modeling of Radial Collector Wells*, v. 43, no. 6: 926–934.

Bekins, B.A., I.M. Cozzarelli, G.P. Curtis, *A Simple Method for Calculating Growth Rates of Petroleum Hydrocarbon Plumes*, v. 43, no. 6: 817–826.

Birk, S., T. Geyer, R. Liedl, M. Sauter, *Process-Based Interpretation of Tracer Tests in Carbonate Aquifers*, v. 43, no. 3: 381–388.

Black, P.E., *Watersheds: Processes, Assessment, and Management*, v. 43, no. 6: 778.

Bloomfield, J.P., J.A. Barker. N. Robinson, *Modeling Fracture Porosity Development Using Simple Growth Laws*, v. 43, no. 3: 314–326.

Booth, C.J., *200 Years of British Hydrogeology*, v. 43, no. 4: 464.

Bower, K.M., C.W. Gable, G.A. Zyvoloski, *Grid Resolution Study of Ground Water Flow and Transport*, v. 43, no. 1: 122–132.

Bowling, J.C., A.B. Rodriguez, D.L. Harry, C. Zheng, *Delineating Alluvial Aquifer Heterogeneity Using Resistivity and GPR Data*, v. 43, no. 6: 890–903.

Broers, H.P., F.C. van Geer, *Monitoring Strategies at Phreatic Wellfields: A 3D Travel Time Approach*, v. 43, no. 6: 850–862.

Brouyère, S., G. Carabin, A. Dassargues, *Influence of Injection Conditions on Field Tracer Experiments*, v. 43, no. 3: 389–400.

Burow, K.R., J. Constantz, R. Fujii, *Heat as a Tracer to Estimate Dissolved Organic Carbon Flux from a Restored Wetland*, v. 43, no. 4: 545–556.

Campana, M.E., *Foreword: Transboundary Ground Water*, v. 43, no. 5: 646–650.

Castro, M.C., P. Goblet, *Calculation of Ground Water Ages—A Comparative Analysis*, v. 43, no. 3: 368–380.

Ceric, A., H. Haitjema, *On Using Simple Time-of-Travel Capture Zone Delineation Methods*, v. 43, no. 3: 408–412.

Cherkauer, D.S., S.A. Ansari, *Estimating Ground Water Recharge from Topography, Hydrogeology, and Land Cover*, v. 43, no. 1: 102–112.

Chermak, J.M., R.H. Patrick, D.S. Brookshire, *Economics of Transboundary Aquifer Management*, v. 43, no. 5: 731–736.

Chesnaux, R., J.W. Molson, R.P. Chapuis, *An Analytical Solution for Ground Water Transit Time through Unconfined Aquifers*, v. 43, no. 4: 511–517.

Clarke, D.D., M.M. Meerschaert, S.W. Wheatcraft, *Fractal Travel Time Estimates for Dispersive Contaminants*, v. 43, no. 3: 401–407.

Clemo, T., *Improved Water Table Dynamics in MODFLOW*, v. 43, no. 2: 270–273.

Coppola, E.A., C.F. McLane, M.M. Poulton, F. Szidarovszky, R.D. Magelky, *Predicting Conductance Due to Upconing Using Neural Networks*, v. 43, no. 6: 827–836.

Coppola, E.A., A.J. Rana, M.M. Poulton, F. Szidarovszky, V.W. Uhl, *A Neural Network Model for Predicting Aquifer Water Level Elevations*, v. 43, no. 2: 231–241.

Cortis, A., B. Berkowitz, *Computing "Anomalous" Contaminant Transport in Porous Media: The CTRW MATLAB Toolbox*, v. 43, no. 6: 947–950.

Cui, Y., J. Shao, *The Role of Ground Water in Arid/Semiarid Ecosystems, Northwest China*, v. 43, no. 4: 471–477.

Custodio, E., *Intensive Use of Ground Water and Sustainability*, v. 43, no. 3: 291–291.

Davis, J.M., *Fundamentals of Ground Water*, v. 43, no. 2: 164.

Deming, D., *Born to Trouble: Bernard Palissy and the Hydrologic Cycle*, v. 43, no. 6: 969–972.

Di Matteo, L., W. Dragoni, *Empirical Relationships for Estimating Stream Depletion by a Well Pumping near a Gaining Stream*, v. 43, no. 2: 242–249.

Eberts, S.M., S.A. Jones, C.L. Braun, G.J. Harvey, *Long-Term Changes in Ground Water Chemistry at a Phytoremediation Demonstration Site*, v. 43, no. 2: 178–186.

Erickson, M.L., R.J. Barnes, *Glacial Sediment Causing Regional-Scale Elevated Arsenic in Drinking Water*, v. 43, no. 6: 796–805.

Fendek, M., M. Fendekova, *Transboundary Flow Modeling: The Zohor Depression of Austria and the Slovak Republic*, v. 43, no. 5: 717–721.

Ferguson, G., A.D. Woodbury, *The Effects of Climatic Variability on Estimates of Recharge from Temperature Profiles*, v. 43, no. 6: 837–842.

Freedman, V.L., S.R. Waichler, C.R. Cole, V.R. Vermeul, M.P. Bergeron, *Identifying the Potential Loss of Monitoring Wells Using an Uncertainty Analysis*, v. 43, no. 6: 916–925.

Galloway, G., R. Pentland, *Securing the Future of Ground Water Resources in the Great Lakes Basin*, v. 43, no. 5: 737–743.

Gardner, K.K., R.M. Vogel, *Predicting Ground Water Nitrate Concentration from Land Use*, v. 43, no. 3: 343–352.

Guangcai, W., Z. Zuochen, W. Min, C.A. Cravotta, L. Chenglong, *Implications of Ground Water Chemistry and Flow Patterns for Earthquake Studies*, v. 43, no. 4: 478–484.

Guilbeault, M.A., B.L. Parker, J.A. Cherry, *Mass and Flux Distributions from DNAPL Zones in Sandy Aquifers*, v. 43, no. 1: 70–86.

Haitjema, H.M., M.-S. Bruker, *Are Water Tables a Subdued Replica of the Topography?*, v. 43, no. 6: 781–786.

Halihan, T., A. Love, J.M. Sharp, *Identifying Connections in a Fractured Rock Aquifer Using ADFTs*, v. 43, no. 3: 327–335.

Helmke, M.F., W.W. Simpkins, R. Horton, *Simulating Conservative Tracers in Fractured Till under Realistic Timescales*, v. 43, no. 6: 877–889.

Hibbs, B.J., B.K. Darling, *Revisiting a Classification Scheme for U.S.-Mexico Alluvial Basin-Fill Aquifers*, v. 4[illegible] no. 5: 750–763.

Hornberger, G.M., *A Water Cycle Initiative*, v. 43, no. 6: 771.

Hsiao, C.-T., L.-C. Chang, *Optimizing Remediation of an Unconfined Aquifer Using a Hybrid Algorithm*, v. 43, no. 6: 904–915.

Hunt, B., *Visual Basic Programs for Spreadsheet Analysis*, v. 43, no. 1: 138–141.

Izbicki, J.A., A.H. Christensen, M.W. Newhouse, G.A. Smith, R.T. Hanson, *Temporal Changes in the Vertical Distribution of Flow and Chloride in Deep Wells*, v. 43, no. 4: 531–544.

Jacobs, J.A., *Wiley's Remediation Technologies Handbook: Major Contaminant Chemicals and Chemical Groups*, v. 43, no. 3: 295.

Jarvis, T., M. Giordano, S. Puri, K. Matsumoto, A. Wolf, *International Borders, Ground Water Flow, and Hydroschizophrenia*, v. 43, no. 5: 764–770.

Jones, N.L., J.R. Walker, S.F. Carle, *Hydrogeologic Unit Flow Characterization Using Transition Probability Geostatistics*, v. 43, no. 2: 285–289.

Kawecki, M.W., H.N. Al-Subaikhy, *Unconfined Linear Flow to a Horizontal Well*, v. 43, no. 4: 606–610.

Kelly, W.R., T.R. Holm, S.D. Wilson, G.S. Roadcap, *Arsenic in Glacial Aquifers: Sources and Geochemical Controls*, v. 43, no. 4: 500–510.

Kurtzman, D., R. Nativ, E.M. Adar, *Correlating Fracture Trends and Hydraulic Head Using Semivariogram Cloud Analysis*, v. 43, no. 2: 250–258.

Li, L., C.H. Benson, E.M. Lawson, *Impact of Mineral Fouling on Hydraulic Behavior of Permeable Reactive Barriers*, v. 43, no. 4: 582–596.

Li, S.-L., C.-Q. Liu, F.-X. Tao, Y.-C. Lang, G.-L. Han, *Carbon Biogeochemistry of Ground Water, Guiyang, Southwest China*, v. 43, no. 4: 494–499.

Lipson, D.S., B.H. Keuper, M.J. Gefell, *Matrix Diffusion-Derived Plume Attenuation in Fractured Bedrock*, v. 43, no. 1: 30–39.

Llamas, M.R., P. Martínez-Santos, *The Silent Revolution of Intensive Ground Water Use: Pros and cons*, v. 43, no. 2: 161.

MacDonald, A.M., S.J. Kemp, J. Davies, *Transmissivity Variations in Mudstones*, v. 43, no. 2: 259–269.

Mace, R.E., C. Ridgeway, *Major Goal Achieved with Major GAMs*, v. 43, no. 2: 163–163.

Manning, A.H., K .D. Solomon, S.A. Thiros, *$^3H/^3He$ Age Data in Assessing the Susceptibility of Wells to Contamination*, v. 43, no. 3: 353–367.

Matthews, O.P., *Ground Water Rights, Spatial Variation, and Transboundary Conflicts*, v. 43, no. 5: 691–699.

McCray, J.E., S.L. Kirkland, R.L. Siegrist, G.D. Thyne, *Model Parameters for Simulating Fate and Transport of On-Site Wastewater Nutrients*, v. 43, no. 4: 628–639.

McGuire, J.T., D.T. Long, D.W. Hyndman, *Analysis of Recharge-Induced Geochemical Change in a Contaminated Aquifer*, v. 43, no. 4: 518–530.

McLin, S.G., *Estimating Aquifer Transmissivity from Specific Capacity Using MATLAB*, v. 43, no. 4: 611–614.

Molz, F.J., J. Guan, J. Wang, *Spatial Weighting Functions: Transient Hydraulic Tests and Heterogeneous Media*, v. 43, no. 2: 215–221.

Moran, M.J., J.S. Zogorski, P.J. Squillace, *MTBE and Gasoline Hydrocarbons in Ground Water of the United States*, v. 43, no. 4: 615–627.

Muldoon, M., K.R. Bradbury, *Site Characterization in Densely Fractured Dolomite: Comparison of Methods*, v. 43, no. 6: 863–876.

Mutch, R., *A Distance-Drawdown Aquifer Test Method for Aquifers with Areal Anisotropy*, v. 43, no. 6: 935–938.

Narasimhan, T.N., *Basic Tenets for Water Management*, v. 43, no. 1: 1.

Neuzil, C.E., S.P. Neuman, *Comment on the "Nothing Older Than Three Years"*, v. 43, no. 3: 294.

Newhouse, M.W., J.A. Izbicki, G.A. Smith, *Comparison of Velocity-Log Data Collected Using Impeller and Electromagnetic Flowmeters*, v. 43, no. 3: 434–438.

NGWA Honors Excellence in Science Fair Students' Ground Water Projects, v. 43, no. 6: 774–775.

OnlineEarly Announcement, v. 43, no. 6: 772.

Ostendorf, D.W., D.J. DeGroot, P.J. Dunaj, J. Jakubowski, *A closed Form Slug Test Theory for High Permeability Aquifers*, v. 43, no. 1: 87–101.

Perrochet, P., *Confined Flow into a Tunnel during Progressive Drilling: An Analytical Solution*, v. 43, no. 6: 943–946.

Pinales, A., A. Chavez, G. Llerar, L. Manzanares, A. Keer, *An Improved Approach for Assigning Pumping Rates to Heterogeneous Aquifer Models*, v. 43, no. 2: 274–279.

Poeter, E., D. Anderson, *Multimodel Ranking and Inference in Ground Water Modeling*, v. 43, no. 4: 597–605.

Puri, S., A. Aureli, *Transboundary Aquifers: A Global Program to Assess, Evaluate, and Develop Policy*, v. 43, no. 5: 661–668.

Rainwater, K., J. Stovall, S. Frailey, L. Urban, *Transboundary Impacts on Regional Ground Water Modeling in Texas*, v. 43, no. 5: 706–716.

Renard, P., *Approximate Discharge for Constant Head Test with Recharging Boundary*, v. 43, no. 3: 439–442.

Roadcap, G.S., W.R. Kelly, C.M. Bethke, *Geochemistry of Extremely Alkaline (pH > 12) Ground Water in Slag-Fill Aquifers*, v. 43, no. 6: 806–816.

Robertson, W.D., N. Yeung, P.W. vanDriel, P.S. Lombardo, *High-Permeability Layers for Remediation of Ground Water; Go Wide, Not Deep*, v. 43, no. 4: 574–581.

Rovey, C.W., W.L. Niemann, *Do Conservative Solutes Migrate at Average Pore-Water Velocity?*, v. 43, no. 1: 52–63.

Rowland, M., *A Framework for Resolving the Transboundary Water Allocation Conflict Conundrum*, v. 43, no. 5: 700–705.

Rutledge, A.T., *The Appropriate Use of the Rorabaugh Model to Estimate Ground Water Recharge*, v. 43, no. 3: 292–293.

Salve, R., *A Passive-Discrete Water Sampler for Monitoring Seepage*, v. 43, no. 1: 133–137.

Schroth, M.H., J.D. Istok, *Approximate Solution for Solute Transport during Spherical-Flow Push-Pull Tests*, v. 43, no. 2: 280–284.

Schulze-Makuch, D., *Longitudinal Dispersivity Data and Implications for Scaling Behavior*, v. 43, no. 3: 443–456.

Seaton, W.J., T.J. Burbey, *Influence of Ancient Thrust Faults on the Hydrogeology of the Blue Ridge Province*, v. 43, no. 3: 301–313.

Sehlke, G., J. Jacobson, *System Dynamics Modeling of Transboundary Systems: The Bear River Basin Model*, v. 43, no. 5: 722–730.

Sellwood, S.M., J.M. Healey, S. Birk, J.J. Butler Jr., *Direct-Push Hydrostratigraphic Profiling: Coupling Electrical Logging and Slug Tests*, v. 43, no. 1: 19–29.

Sharp, J.M., C.T. Simmons, *The Compleat Darcy: New Lessons Learned from the First English Translation of Les Fontaines Publiques de la Ville de Dijon*, v. 43, no. 3: 457–460.

Smith, R.T., Comment on the *"Climate Change: Why Should Water Professional Care?"*, editorial by M. Sophocleous [*Ground Water* 42, no. 5: 637] v. 43, no. 1: 2–8.

Stauffer, F., *Uncertainty Estimation of Pathlines in Ground Water Models*, v. 43, no. 6: 843–849.

Szilagyi, J., F.E. Harvey, J.F. Ayers, *Regional Estimation of Total Recharge to Ground Water in Nebraska*, v. 43, no. 1: 63–69.

Taniguchi, M., T. Ishitobi, K.-I. Saeki, *Evaluation of Time-Space Distributions of Submarine Ground Water Discharge*, v. 43, no. 3: 336–342.

Tóth, J., *The Canadian School of Hydrogeology: History and Legacy*, v. 43, no. 4: 640–644.

Tsang, C.-F., *Is Current Hydrogeologic Research Addressing Long-Term Predictions?*, v. 43, no. 3: 296–300.

Twarakavi, N.K.C., J.J. Kaluarachchi, *Aquifer Vulnerability Assessment to Heavy Metals Using Ordinal Logistic Regression*, v. 43, no. 2: 200–214.

Van Stempvoort, D., H. Maathuis, E. Jaworski, B. Mayer, K. Rich, *Oxidation of Fugitive Methane in Ground Water Linked to Bacterial Sulfate Reduction*, v. 43, no. 2: 187–199.

Wadley, S.L.S., R.W. Gillham, L. Gui, *Remediation of DNAPL Source Zones with Granular Iron: Laboratory and Field Tests*, v. 43, no. 1: 9–18.

Walker, D.D., B. Gylling, J.-O. Selroos, *Upscaling of Hydraulic Conductivity and Telescopic Mesh Refinement*, v. 43, no. 1: 40–51.

Wallin, B., C. Gaye, L. Gourcy, P. Aggarwal, *Isotope Methods for Management of Shared Aquifers in Northern Africa*, v. 43, no. 5: 744–749.

Wang, P.P., C. Zheng, *Contaminant Transport Models Under Random Sources*, v. 43, no. 3: 423–433.

Watson, D.B., W.E. Doll, T.J. Gamey, J.R. Sheehan, P.M. Jardine, *Plume and Lithologic Profiling with Surface Resistivity and Seismic Tomography*, v. 43, no. 2: 169–177.

Weinthal, E., A. Vengosh, A. Marei, A. Gutierrez, W. Kloppmann, *The Water Crisis in the Gaza Strip: Prospects for Resolution*, v. 43, no. 5: 653–660.

Wilcox, J.D., K.R. Bradbury, C.L. Thomas, J.M. Bahr, *Assessing Background Ground Water Chemistry beneath a New Unsewered Subdivision*, v. 43, no. 6: 787–795.

Wood, W.W., *Nanobots: A New Paradigm for Hydrogeologic Characterization?*, v. 43, no. 4: 463.

Zhang, Y., R.W. Gillham, *Effects of Gas Generation and Precipitates on Performance of Fe° PRBs*, v. 43, no. 1: 113–121.

Zheng, C., C.D. Langevin, D.M. Bean, *Ground Water Vistas: A Graphical User Interface for the MODFLOW Family of Ground Water Flow and Transport Models*, v. 43, no. 2: 165–168.

Zheng, C., M. Tonkin, M. Becker, *Environmental Insite: A Software Package for Ground Water Data Visualization*, v. 43, no. 4: 466–470.

Zongyu, C., N. Zhenlong, Z. Zhaoji, Q. Jixiang, N. Yunju, *Isotopes and Sustainability of Ground Water Resources, North China Plain*, v. 43, no. 4: 485–493.


Accelerated Anaerobic Bioremediation
Low-Cost, No Operations and Maintenance, Minimal Site Disturbance
Degradation of a Range of Chlorinated Compounds
• PCE, TCE, DCE and Vinyl Chloride
• Chlorinated Pesticides and Herbicides
• Nitrate, Nitoraromatic Explosives and Dyes
• Perchlorate
HRC® Molecule
H and OH from H2O hydrate HRC and facilitate the release of Lactic Acid
Lactic Acid is converted to hydrogen for use in reductive dechlorination
HRC®
HYDROGEN RELEASE COMPOUND
HRC-X®
HYDROGEN RELEASE COMPOUND
[eXtended release formula]
HRC and HRC-X
• Proven on over 600 sites worldwide!
• Controlled Release Technology (CRT™) slowly releases optimal amounts of hydrogen into the aquifer
• Hydrogen facilitates reductive dechlorination of contaminants for 12-36 months on a single application
• Accelerates the breakdown of chlorinated compounds into harmless end products such as ethane and ethene
For a Free Site Evaluation and Cost Estimate Call 949-366-8000
All Rights Reserved 2004 Regenesis – 1011 Calle Sombra, San Clemente, CA 92673
REGENESIS
Advanced Technologies for Groundwater Resources